

UK NEQAS FOR H&I SCHEME 2A - CYTOTOXIC CROSSMATCHING

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITHOUT DTT OF SAMPLE 2A03/2015 OS PC

DESPATCHED ON 24TH MARCH 2015

HLA PHENOTYPE OF BLOOD DONOR: HLA-A1, A24; B7, B8; Cw7,-; DR4, DR17; DQ2, DQ8

			Summary of Results							
			PBL/T-Cells				B-Cells			
Total tested			29	29	29	29	22	22	22	22
Positive			0	3	1	1	0	2	5	7
Negative			29	26	28	28	22	20	17	15
NT/Equivocal			4	4	4	4	2	2	2	2
% Positive			0.0%	10.3%	3.4%	3.4%	0.0%	9.1%	22.7%	31.8%
% Negative			100.0%	89.7%	96.6%	96.6%	100.0%	90.9%	77.3%	68.2%
Consensus			Negative	Negative	Negative	Negative	Negative	Negative	Not Assessed	
HLA Antibody Specificity (Defined By CDC)			DQ1	A9, DR15	DQ3	A2, B17	DQ1	A9, DR15	DQ3	A2, B17
			Without DTT				Without DTT			
Lab No.	PBL/T Cell Assessment	B Cell Assessment	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4
112	YES	NO	Negative	Negative	Negative	Negative	Poor cell viability			
116	YES	NO	Negative	Negative	Positive	Negative				
119	YES	NO	Negative	Positive	Negative	Positive				
120	YES	YES	Negative	Negative	Negative	Negative				
128	YES	NO	Negative	Negative	Negative	Negative	No results returned			
139	YES	YES	Negative	Positive	Negative	Negative				
143	YES	NO	Negative	Negative	Negative	Negative				
147	YES	YES	Negative	Negative	Negative	Negative				
154	YES	YES	Negative	Negative	Negative	Negative	Poor T cell viability			
157	YES	YES	Negative	Negative	Negative	Negative				
159	YES	YES	Negative	Negative	Negative	Negative				
174	YES	NO	NT	NT	NT	NT				
181	YES	YES	Negative	Negative	Negative	Negative	Poor B cell viability			
189	YES	YES	Negative	Negative	Negative	Negative				
190	YES	YES	Negative	Negative	Negative	Negative				
193	YES	YES	Negative	Negative	Negative	Negative				
194	YES	YES	Negative	Negative	Negative	Negative	Poor cell viability			
195	YES	YES	NT	NT	NT	NT				
197	YES	YES	NT	NT	NT	NT				
209	YES	YES	Negative	Negative	Negative	Negative				
216	YES	NO	Negative	Negative	Negative	Negative	No results returned			
223	YES	YES	Negative	Negative	Negative	Negative				
229	YES	NO	Negative	Negative	Negative	Negative				
232	YES	NO	NT	NT	NT	NT				
238	YES	YES	Negative	Positive	Negative	Negative	Poor T cell viability			
245	YES	YES	Negative	Negative	Negative	Negative				
252	YES	YES	Negative	Negative	Negative	Negative				
259	YES	YES	Negative	Negative	Negative	Negative				
260	YES	YES	Negative	Negative	Negative	Negative	Poor B cell viability			
262	YES	YES	Negative	Negative	Negative	Negative				
293	YES	YES	Negative	Negative	Negative	Negative				
294	YES	YES	Negative	Negative	Negative	Negative				
297	YES	YES	Negative	Negative	Negative	Negative	Poor cell viability			

UK NEQAS FOR H&I SCHEME 2A - CYTOTOXIC CROSSMATCHING

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITHOUT DTT OF SAMPLE 2A03/2015 OS PC

DESPATCHED ON 24TH MARCH 2015

Lab No.	PBL/T-cell without DTT				B-cell without DTT				Cell viability %		
	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	PBL	T-cells	B-cells
112	-1	-2	-1	-1					90		
116	1	1	2	1					90		
119	1	6	1	4					85		
120	1	1	1	1	1	1	4	4	100	100	
128	1	1	1	1					80		
139	1	4	1	1	1	4	6	6	80	80	80
143	2	2	2	2					90		
147	1	1	1	1	1	1	1	8	100	100	
154	1	1	1	1	1	1	1	1	95	95	
157									100	100	100
159	1	1	1	1	1	1	1	1	100	100	100
174	NT	NT	NT	NT							
181	1	1	1	1	1	1	2	4	85		85
189	1	1	1	1	1	1	1	1	90	90	88
190	2%	2%	2%	2%	5%	5%	20%	20%	98	98	95
193	1	1	1	1	1	1	1	1	99	99	95
194	1	1	1	1	1	1	1	1	100	98	98
195											
197	NT	NT	NT	NT	Moderate				80	50	70
209									95	95	95
216	2	2	2	2					80		
223	1	1	1	1	NT	NT	NT	NT	90	90	60
229									90		
232	NT	NT	NT	NT					20		
238	1	2	1	1	1	4	6	6	90	80	60
245	1	1	1	1	1	1	1	1	100	100	100
252	1	1	1	1	1	1	1	1	40		30
259									90	90	90
260									90		80
262							8	8	100	100	100
293									70		60
294	0	0	0	0	2	2	2	2	95	95	
297	1	1	1	1	1	1	1	1	80	80	80

UK NEQAS FOR H&I SCHEME 2A - CYTOTOXIC CROSSMATCHING

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITH DTT OF SAMPLE 2A03/2015 OS PC

DESPATCHED ON 24TH MARCH 2015

HLA PHENOTYPE OF BLOOD DONOR: HLA-A1, A24; B7, B8; Cw7,-; DR4, DR17; DQ2, DQ8

		Summary of Results												
		PBL/T-Cells				B-Cells								
Total tested		23	23	23	23	20	20	20	20					
Positive		0	3	0	0	0	2	5	3					
Negative		23	20	23	23	20	18	15	17					
NT/Equivocal		4	4	4	4	2	2	2	2					
% Positive		0.0%	13.0%	0.0%	0.0%	0.0%	10.0%	25.0%	15.0%					
% Negative		100.0%	87.0%	100.0%	100.0%	100.0%	90.0%	75.0%	85.0%					
Consensus		Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative					
HLA Antibody Specificity (Defined By CDC)		DQ1	A9, DR15	DQ3	A2, B17	DQ1	A9, DR15	DQ3	A2, B17					
Lab No.	PBL/T Cell Assessment	B Cell Assessment	With DTT				With DTT							
			Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4				
112	YES	NO	Negative	Negative	Negative	Negative	Low cell count							
116	YES	NO	Negative	Negative	Negative	Negative								
119	YES	NO	Negative	Positive	Negative	Negative								
120	YES	YES	Negative	Negative	Negative	Negative								
139	YES	YES	Negative	Positive	Negative	Negative								
147	YES	YES	Negative	Negative	Negative	Negative								
154	YES	YES	NT	NT	NT	NT	Poor cell viability							
157	NO	YES	No results returned											
159	YES	YES												
174	YES	NO	Negative	Negative	NT	NT								
181	YES	YES	Negative	Negative	Negative	Negative								
189	YES	YES	Negative	Negative	Negative	Negative								
190	YES	YES	Negative	Negative	Negative	Negative	Poor T cell viability							
193	YES	YES	Negative	Negative	Negative	Negative								
194	YES	YES	Negative	Negative	Negative	Negative								
195	YES	YES	NT	NT	NT	NT								
197	YES	YES	NT	NT	NT	NT								
209	YES	YES	Negative	Negative	Negative	Negative								
216	YES	NO	Negative	Negative	Negative	Negative	No results returned							
229	YES	NO	Negative	Negative	Negative	Negative								
238	YES	YES	Negative	Positive	Negative	Negative								
245	YES	YES	Negative	Negative	Negative	Negative								
252	YES	YES	Negative	Negative	Negative	Negative								
260	YES	YES	Negative	Negative	Negative	Negative								
262	YES	YES	Negative	Negative	Negative	Negative	Poor T cell viability							
293	YES	YES	Negative	Negative	Negative	Negative								
294	YES	YES	Negative	Negative	Negative	Negative								
297	YES	YES	Negative	Negative	Negative	Negative								

UK NEQAS FOR H&I SCHEME 2A - CYTOTOXIC CROSSMATCHING

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITH DTT OF SAMPLE 2A03/2015 OS PC

DESPATCHED ON 24TH MARCH 2015

Lab No.	PBL/T-cell with DTT				B-cell with DTT				Cell viability % PBL T-cells B-cells		
	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength			
112	-1	-2	-1	-1					90		
116	1	1	1	1					90		
119	1	2	1	1					85		
120	1	1	1	1	1	1	4	4		100	100
139	1	4	1	1	1	4	6	6	80	80	80
147	1	1	1	1	1	1	1	1		100	100
154	NT	95	95								
157									100	100	100
159	1	1	1	1	1	1	1	1		100	100
174	NT	NT	NT	NT							
181	1	1	1	1	1	1	1	2	85		85
189	1	1	1	1	1	1	1	1	90	90	88
190	2%	2%	2%	2%	10%	10%	10%	10%		98	95
193	1	1	1	1	1	1	1	1		99	95
194	1	1	1	1	1	1	1	1	100	98	98
195											
197	NT	NT	NT	NT	Moderate				80	50	70
209										95	95
216	2	2	2	2					80		
229									90		
238	1	2	1	1	1	2	4	2	90	80	60
245	1	1	1	1	1	1	1	1	100	100	100
252	1	1	1	1	1	1	1	1	40		30
260										90	80
262							6		100	100	100
293										70	60
294	0	0	0	0	0	2	2	2		95	95
297	1	1	1	1	1	1	1	1	80	80	80