

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITHOUT DTT OF SAMPLE 2A10/2015 OS PC

DESPATCHED ON 22ND SEPTEMBER 2015

HLA PHENOTYPE OF BLOOD DONOR: HLA-A2, A-; B60, B62; Cw9, Cw10; DR4, DR-; DQ8, DQ-

Summary of Results								
PBL/T-Cells					B-Cells			
Total tested	25	25	25	25	19	18	19	19
Positive	1	1	0	1	10	5	0	0
Negative	24	24	25	24	9	13	19	19
NT/Equivocal	9	9	9	9	6	7	6	6
% Positive	4.0%	4.0%	0.0%	4.0%	52.6%	27.8%	0.0%	0.0%
% Negative	96.0%	96.0%	100.0%	96.0%	47.4%	72.2%	100.0%	100.0%
Consensus	Negative	Negative	Negative	Negative	Not Assessed	Not Assessed	Negative	Negative
HLA Antibody Specificity (Defined By CDC)	B14+	B44, Cw5, DR4	DR3	B8,B44,DR5,DR8,DR13	B14+	B44, Cw5, DR4	DR3	B8,B44,DR5,DR8,DR13
Lab No.	PBL/T Cell Assessment	B Cell Assessment	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2
			Without DTT				Without DTT	
			Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2
112	YES	NO	Positive	Negative	Negative	Negative		
116	YES	YES	Negative	Negative	Negative	Negative	Positive	Negative
119	YES	NO	Negative	Negative	Negative	Negative	Negative	Negative
120	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
126	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
128	YES	NO	Negative	Negative	Negative	Negative	Negative	Negative
139	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
143	YES	NO	Negative	Negative	Negative	Negative	Negative	Negative
147	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
154	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
157	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
159	YES	YES	Negative	Negative	Negative	Negative	Positive	Negative
174	YES	NO	NT	NT	NT	NT		
181	YES	YES	Negative	Negative	Negative	Negative	Positive	NT
189	YES	NO	Negative	Positive	Negative	Positive	Negative	Negative
190	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
193	YES	YES	Negative	Negative	Negative	Negative	Weak Positive	Negative
194	YES	YES	Negative	Negative	Negative	Negative	NT	NT
195	YES	YES	NT	NT	NT	NT	NT	NT
197			NT	NT	NT	NT	NT	NT
209	YES	YES	Negative	Negative	Negative	Negative	Negative	Positive
216	YES	NO	NT	NT	NT	NT	Positive	Negative
223	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
229	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
232	YES	NO	NT	NT	NT	NT	NT	NT
238	YES	YES	Negative	Negative	Negative	Negative	Positive	Negative
245	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
252	YES	YES	NT	NT	NT	NT	NT	NT
259	YES	YES	NT	NT	NT	NT	NT	NT
260	YES	YES	NT	NT	NT	NT	NT	NT
262	YES	YES	Negative	Negative	Negative	Negative	Positive	Weak Positive
293	YES	YES	NT	NT	NT	NT	NT	NT
294	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
297	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITHOUT DTT OF SAMPLE 2A10/2015 OS PC

DESPATCHED ON 22ND SEPTEMBER 2015

Lab No.	PBL/T-cell without DTT				B-cell without DTT				Cell viability %		
	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	PBL	T-cells	B-cells
112	4	-1	-1	-1					90		
116	1	1	1	1	6	1	1	1		95	90
119	1	1	1	1					85		
120	1	1	1	1	1	1	1	1		100	100
126	0	0	0	0	4	4	0	0		>90	>90
128	1	1	1	1					95		
139	1	1	1	1	1	1	1	1	90	90	90
143	2	2	2	2					85		
147	1	1	1	1	6	6	1	1		95	80
154	1	1	1	1	1	1	1	1		80	80
157	1	1	1	1	8	8	1	1	100	100	90
159	1	1	1	1	4	1	1	1		95	80
174	NT	NT	NT	NT					92		
181	1	1	1	1	6		1	1	95		
189	1	6	1	6					88		
190	1%	1%	1%	1%	1%	1%	1%	1%		99	99
193	1	1	1	1	2	1	1	1		98	99
194	1	1	1	1	4	1	1	1		100	80
195											
197											
209					2				100		95
216	NT	NT	NT	NT					<10	<10	<10
223	1	1	1	1	4	2	1	1		100	90
229									50		
232	NT	NT	NT	NT					10		
238	1	1	1	1	6	1	1	1	90	90	85
245	1	1	1	1	1	1	1	1	100	100	100
252	NT	<10	<10	<10							
259	NT	5									
260	NT	<10	<10	<10							
262					8	4			80		
293											
294	0	0	0	0	2	2	2	2		90	80
297	1	1	1	1	2	1	1	1	100	100	100

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITH DTT OF SAMPLE 2A10/2015 OS PC

DESPATCHED ON 22ND SEPTEMBER 2015

HLA PHENOTYPE OF BLOOD DONOR: HLA-A2, A-; B60, B62; Cw9, Cw10; DR4, DR-; DQ8, DQ-

Summary of Results												
PBL/T-Cells				B-Cells								
Total tested	19	19	19	19	15	15	16	16				
Positive	0	1	0	1	0	3	0	0				
Negative	19	18	19	18	15	12	16	16				
NT/Equivocal	8	8	8	8	7	7	6	6				
% Positive	0.0%	5.3%	0.0%	5.3%	0.0%	20.0%	0.0%	0.0%				
% Negative	100.0%	94.7%	100.0%	94.7%	100.0%	80.0%	100.0%	100.0%				
Consensus		Negative	Negative	Negative	Negative	Negative	Negative	Negative				
HLA Antibody Specificity (Defined By CDC)		B14+	B44, Cw5, DR4	DR3	B8,B44,DR5,DR8,DR13	B14+	B44, Cw5, DR4	DR3	B8,B44,DR5,DR8,DR13			
Lab No.	PBL/T Cell Assessment	B Cell Assessment	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Comments	
112	YES	NO	Negative	Negative	Negative	Negative					Poor viability	
116	YES	YES	Negative	Negative	Negative	Negative						
119	YES	NO	Negative	Negative	Negative	Negative						
120	YES	YES	Negative	Negative	Negative	Negative						
139	YES	YES	Negative	Negative	Negative	Negative						
147	YES	YES	Negative	Negative	Negative	Negative						
154	YES	YES	NT	NT	NT	NT						
157	NO	YES										
159	YES	YES	Negative	Negative	Negative	Negative						
174	YES	NO	NT	NT	NT	NT						
181	YES	YES	Negative	Negative	Negative	Negative						
189	YES	YES	Negative	Positive	Negative	Positive					Uninterpretable - high background	
190	YES	YES	Negative	Negative	Negative	Negative						
193	YES	YES	Negative	Negative	Negative	Negative						
194	YES	YES	Negative	Negative	Negative	Negative						
195	YES	YES	NT	NT	NT	NT						
197	YES	YES	NT	NT	NT	NT						
209	YES	YES	Negative	Negative	Negative	Negative						
216	YES	NO	NT	NT	NT	NT						
229	YES	NO	Negative	Negative	Negative	Negative						
238	YES	YES	Negative	Negative	Negative	Negative						
245	YES	YES	Negative	Negative	Negative	Negative						
252	YES	YES	NT	NT	NT	NT					Poor viability	
260	YES	YES	NT	NT	NT	NT						
262	YES	YES	Negative	Negative	Negative	Negative					Poor viability	
293	YES	YES	NT	NT	NT	NT						
294	YES	YES	Negative	Negative	Negative	Negative						
297	YES	YES	Negative	Negative	Negative	Negative						

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITH DTT OF SAMPLE 2A10/2015 OS PC

DESPATCHED ON 22ND SEPTEMBER 2015

Lab No.	PBL/T-cell with DTT				B-cell with DTT				Cell viability %		
	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	PBL	T-cells	B-cells
112	2	-1	-1	-1					90		
116	1	1	1	1	2	2	2	1		95	90
119	1	1	1	1					85		
120	1	1	1	1	1	1	1	1		100	100
139	1	1	1	1	1	1	1	1	90	90	90
147	1	1	1	1	1	6	1	1		95	80
154	NT		80	80							
157					1	8	1	1	100	100	90
159	1	1	1	1	1	1	1	1		95	80
174	NT	NT	NT	NT					92		
181	1	1	1	1	NT	NT	1	1	95		95
189	1	6	1	6					88		
190	1%	1%	1%	1%	1%	1%	1%	1%		99	99
193	1	1	1	1	1	1	1	1		98	99
194	1	1	1	1	1	1	1	1		100	80
195											
197											
209									100		95
216	NT	NT	NT	NT					<10	<10	<10
229									50		
238	1	1	1	1	1	1	1	1	90	90	85
245	1	1	1	1	1	1	1	1	100	100	100
252	NT	<10	<10	<10							
260	NT	<10	<10	<10							
262					4				80		
293											
294	0	0	0	0	2	2	2	2	90	80	
297	1	1	1	1	1	1	1	1	100	100	100