

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITHOUT DTT OF SAMPLE 2A09/2016 OS WB

DISPATCHED ON 20TH SEPTEMBER 2016

HLA PHENOTYPE OF BLOOD DONOR: HLA-A3, A68; B18, B37; Cw5, Cw6; DR1, DR17; DQ2, DQ5

Summary of Results										
PBL/T-Cells				B-Cells						
Total tested	17	17	17	16	13	14	14			
Positive	2	2	0	0	10	13	0			
Negative	15	15	17	16	3	1	14			
NT/Equivocal	1	1	1	2	2	1	1			
% Positive	11.8%	11.8%	0.0%	0.0%	76.9%	92.9%	0.0%			
% Negative	88.2%	88.2%	100.0%	100.0%	23.1%	7.1%	100.0%			
Consensus		Negative	Negative	Negative	Positive	Positive	Negative			
HLA Antibody Specificity (Defined By CDC)		(B21 B62)+	DR1	A2	(B21 B62)+	DR1	A2			
Without DTT	Without DTT	Comments								
Lab No.	PBL/T Cell Assessment	B Cell Assessment	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4
101	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative
114	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative
116	YES	YES	Positive	Positive	Negative	Negative	Positive	Positive	Negative	Negative
117	YES	NO	Negative	Negative	Negative	Negative				
136	YES	NO	Negative	Negative	Negative	Negative				
145	YES	YES	Negative	Negative	Negative	Negative	Negative	Positive	Negative	Negative
149	YES	NO	Negative	Negative	Negative	Equivocal	Negative	Positive	Negative	Negative
162	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative
163	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative
186	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative
204	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative
206	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative
212	YES	YES	Weak Positive	Weak Positive	Negative	Negative	Weak Positive	Positive	Negative	Negative
227	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative
268	YES	YES	NT	NT	NT	NT	NT	NT	NT	NT
284	YES	YES	Negative	Negative	Negative	Negative	Equivocal	Positive	Negative	Negative
311	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive	Negative	Negative
315	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITHOUT DTT OF SAMPLE 2A09/2016 OS WB

DISPATCHED ON 20TH SEPTEMBER 2016

Lab No.	PBL/T-cell without DTT				B-cell without DTT				Cell viability %		
	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	PBL	T-cells	B-cells
101	1	1	1	1	4	6	1	1	100	100	
114	1	1	1	1	1	1	1	1	95	95	
116	1-2	1-2	1	1	4-8	4-8	1-2	1	90	98	
117	1	1	1	1					100	100	
136	1	1	1	1					80	100	
145					8				100	100	
149									80	80	
162					8	8			99	99	
163	1	1	1	1	6	8	1	1	98	98	
186	0	0	0	0	6	8	0	0	90	90	
204	2	2	2	2	8	8	1	1	100	90	
206	1	1	1	1	8	8	1	1	90	90	
212					8	8			99	99	
227									98	98	
268	NT	10	10								
284	1	1	1	1	2-4	8	1	1	99	80	
311	1	1	1	1	6	8	1	1	95	95	
315	1	1	1	1	4	6	4	4	90	60	

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITHOUT DTT OF SAMPLE 2A09/2016 OS WB

DISPATCHED ON 20TH SEPTEMBER 2016

Lab No.	Summary of Results											
	PBL		PBL Without DTT				T-Cells		T-Cells Without DTT			
	Without DTT		Serum 1	Serum 2	Serum 3	Serum 4	Without DTT		Serum 1	Serum 2	Serum 3	Serum 4
145	Serum 1	Serum 2	Serum 3	Serum 4	reaction	reaction	reaction	reaction	Serum 1	Serum 2	Serum 3	Serum 4
162					strength	strength	strength	strength	reaction	reaction	reaction	reaction

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITH DTT OF SAMPLE 2A09/2016 OS WB

DISPATCHED ON 20TH SEPTEMBER 2016

HLA PHENOTYPE OF BLOOD DONOR: HLA-A3, A68; B18, B37; Cw5, Cw6; DR1, DR17; DQ2, DQ5

	Summary of Results							
	PBL/T-Cells				B-Cells			
	Total tested	14	14	14	13	12	13	13
Positive	2	2	1	1	10	11	0	0
Negative	12	12	13	12	2	2	13	13
NT/Equivocal	1	1	1	2	2	1	1	1
% Positive	14.3%	14.3%	7.1%	7.7%	83.3%	84.6%	0.0%	0.0%
% Negative	85.7%	85.7%	92.9%	92.3%	16.7%	15.4%	100.0%	100.0%
Consensus		Negative	Negative	Negative	Negative	Positive	Positive	Negative
HLA Antibody Specificity (Defined By CDC)		(B21 B62)+	DR1	A2	Cw4	(B21 B62)+	DR1	A2
With DTT								
Lab No.	PBL/T Cell Assessment	B Cell Assessment	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2
101	YES	YES	Negative	Negative	Negative	Negative	Positive	Negative
114	YES	YES	Negative	Negative	Negative	Negative	Negative	Negative
116	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
149	YES	NO	Negative	Negative	Negative	Equivocal	Positive	Positive
162	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
163	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
186	YES	YES	Positive	Positive	Positive	Positive	Positive	Positive
204	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
206	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
212	YES	YES	Positive	Positive	Negative	Negative	Positive	Positive
227	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
268	YES	YES	NT	NT	NT	NT	NT	NT
284	YES	YES	Negative	Negative	Negative	Negative	Equivocal	Positive
311	YES	YES	Negative	Negative	Negative	Negative	Positive	Positive
315	YES	YES	Negative	Negative	Negative	Negative	Negative	Positive

Comments

Low number of cells and poor viability
Difficulty interpreting serum 1 with B-cells - poor viability
Low B-cell count

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITH DTT OF SAMPLE 2A09/2016 OS WB

DISPATCHED ON 20TH SEPTEMBER 2016

Lab No.	PBL/T-cell with DTT				B-cell with DTT				Cell viability %		
	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	Serum 1 reaction strength	Serum 2 reaction strength	Serum 3 reaction strength	Serum 4 reaction strength	PBL	T-cells	B-cells
101	1	1	1	1	4	2	1	1	100	100	
114	1	1	1	1	2	2	1	1			
116	1	1	1	1	1-6	2-8	1	1	95	95	
149											
162					8	8			80	100	100
163	1	1	1	1	8	8	1	1	80	80	
186	0	0	0	0	8	8	0	0	99	99	
204	2	2	2	2	8	8	1	1	90	90	
206	1	1	1	1	8	8	1	1	100	90	
212									99	99	99
227					8	8			98	98	98
268	NT	10	10								
284	1	1	1	1	2-4	8	1	1	99	80	
311	1	1	1	1	6	8	1	1	95	95	
315	1	1	1	1	4	8	4	4	90	60	

UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching

PBL/T-CELL AND B-CELL CROSSMATCHING RESULTS WITH DTT OF SAMPLE 2A09/2016 OS WB

DISPATCHED ON 20TH SEPTEMBER 2016

Lab No.	Summary of Results											
	PBL		PBL With DTT				T-Cells		T-Cells With DTT			
	With DTT		Serum 1	Serum 2	Serum 3	Serum 4	With DTT		Serum 1	Serum 2	Serum 3	Serum 4
162	Serum 1	Serum 2	Serum 3	Serum 4	reaction strength	reaction strength	reaction strength	reaction strength	Serum 1	Serum 2	Serum 3	Serum 4
									Negative	Negative	Negative	Negative