

**UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching**

2A03/2019 PC without DTT

	PBL				T-cells				B-cells			
Total distributed	10	10	10	10	18	18	18	18	18	18	18	18
Total submitted	10	10	10	10	18	18	18	18	18	18	18	18
Not Tested	2	2	2	2	3	3	3	3	5	6	4	6
Negative	8	8	3	8	15	15	1	15	13	12	2	11
Positive	-	-	5	-	-	-	14	-	-	-	12	1
% Negative	100	100	37.5	100	100	100	6.7	100	100	100	14.3	91.7
% Positive	-	-	62.5	-	-	-	93.3	-	-	-	85.7	8.3
<b>Consensus</b>	<b>Negative</b>	<b>Negative</b>	<b>-</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Positive</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Positive</b>	<b>Negative</b>
Unacceptable	-	-	-	-	-	-	Negative	-	-	-	Negative	Positive
Number acceptable	8	8	-	8	15	15	14	15	13	12	12	11
Number unacceptable	0	0	-	0	0	0	1	0	0	0	2	1
Assessed <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Comments												

Lab	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Received	Tested	PBL Assessment	T-cell Assessment	B-cell Assessment
119	Negative	Negative	Positive	Negative									17/07/2019	17/07/2019	100%	Not assessed	Not assessed
120					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
133					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	18/07/2019	19/07/2019	Not assessed	100%	100%
139	Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	Negative	Negative	Positive	Positive	19/07/2019	19/07/2019	100%	100%	75%
143					Negative	Negative	Positive	Negative					19/07/2019	19/07/2019	Not assessed	100%	Not assessed
147	Negative	Negative	Negative	Negative	Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	17/07/2019	17/07/2019	100%	100%	100%
154					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	17/07/2019	18/07/2019	Not assessed	100%	100%
157	Negative	Negative	Positive	Negative									17/07/2019	17/07/2019	100%	Not assessed	Not assessed
159					Negative	Negative	Positive	Negative	Negative	Negative	Negative	Negative	18/07/2019	18/07/2019	Not assessed	100%	75%
169					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	17/07/2019	18/07/2019	Not assessed	100%	100%
189	Negative	Negative	Negative	Negative									17/07/2019	18/07/2019	100%	Not assessed	Not assessed
190					Negative	Negative	Positive	Negative	NT	NT	Positive	NT	17/07/2019	17/07/2019	Not assessed	100%	100%
195					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	19/07/2019	19/07/2019	Not assessed	100%	100%
197					NT	NT	NT	NT	NT	NT	NT	NT	0000-00-00	0000-00-00	Not assessed	Not assessed	Not assessed
209	NT	NT	NT	NT	Negative	Negative	Positive	Negative	Negative	NT	Positive	NT	17/07/2019	18/07/2019	Not assessed	100%	100%
216					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	19/07/2019	43668	Not assessed	75%	75%
232													19/07/2019	19/07/2019	Not assessed	Not assessed	Not assessed
235	NT	NT	NT	NT									0000-00-00	0000-00-00	Not assessed	Not assessed	Not assessed
239	Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	18/07/2019	19/07/2019	100%	100%	100%
252	Negative	Negative	Negative	Negative					NT	NT	NT	NT	19/07/2019	22/07/2019	100%	Not assessed	Not assessed
260					NT	NT	NT	NT	NT	NT	NT	NT	20/07/2019	0000-00-00	Not assessed	Not assessed	Not assessed
292					NT	NT	NT	NT	NT	NT	NT	NT	18/07/2019	0000-00-00	Not assessed	Not assessed	Not assessed
293					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
294					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	17/07/2019	18/07/2019	Not assessed	100%	100%
1352	Negative	Negative	Positive	Negative									17/07/2019	18/07/2019	100%	Not assessed	Not assessed

**UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching**

2A03/2019 PC without DTT

Lab	PBL Reaction strength				T-cell Reaction strength				B-cell Reaction strength				Viability		
	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	PBL	T-cell	B-cell
119	1	1	8	2									95		
120					1	1	6	1	1	1	6	1		95	95
133					2	2	6		2	2	8	2		90	90
139	1	1	6	1	1	1	6	1	1	1	8	4	80	80	80
143					1	1	6	1						92.7	
147	1	1	1	1	1	1	4	1	1	1	6	1	100	100	100
154							2				6-8				
157	1	1	8	1									100		
159					1	1	8	1	1	1	1	1		80	30
169					1	2	8	6	1	1	6	1		98	98
189	1	1	1	1									95	0	0
190					20	20	50	20			100			90	85
195					1	1	4	1	1	1	6	1		95	90
197															
209							4				8			99	99
216					1	1	2	1	1	1	2	1		90	90
232														90	70
235															
239			8				8				8		98	98	98
252	1	1	1	1									70		30
260													30	30	30
292													0	0	0
293					0	0	6	0	0	0	6	0		80	80
294					0	0	6	0	0	0	8	0		0	100
1352	1	1	6	1									90		

**UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching**

2A03/2019 PC with DTT

	PBL				T-cells				B-cells			
Total distributed	9	9	9	9	17	17	17	17	17	17	17	17
Total submitted	9	9	9	9	17	17	17	17	17	17	17	17
Not Tested	3	3	3	3	3	3	3	3	5	6	4	6
Negative	6	6	3	6	14	14	7	13	11	10	3	10
Positive	-	-	3	-	-	-	7	1	1	1	10	1
% Negative	100	100	50	100	100	100	50	92.9	91.7	90.9	23.1	90.9
% Positive	-	-	50	-	-	-	50	7.1	8.3	9.1	76.9	9.1
<b>Consensus</b>	<b>Negative</b>	<b>Negative</b>	<b>-</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>-</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Positive</b>	<b>Negative</b>
Unacceptable	-	-	-	-	-	-	-	Positive	Positive	Positive	Negative	Positive
Number acceptable	6	6	-	6	14	14	-	13	11	10	10	10
Number unacceptable	0	0	-	0	0	0	-	1	1	1	3	1
Assessed <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Comments												

Lab	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Received	Tested	PBL Assessment	T-cell Assessment	B-cell Assessment
119	Negative	Negative	Negative	Negative									17/07/2019	17/07/2019	100%	Not assessed	Not assessed
120					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
133					Negative	Negative	Negative	Negative	Negative	Negative	Positive	Negative	18/07/2019	19/07/2019	Not assessed	100%	100%
139	Negative	Negative	Positive	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	Positive	19/07/2019	19/07/2019	100%	100%	75%
143					Negative	Negative	Negative	Negative					19/07/2019	19/07/2019	Not assessed	100%	Not assessed
147	Negative	Negative	Negative	Negative	Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	17/07/2019	17/07/2019	100%	100%	100%
154													17/07/2019	18/07/2019	Not assessed	Not assessed	Not assessed
157	Negative	Negative	Positive	Negative									17/07/2019	17/07/2019	100%	Not assessed	Not assessed
159					Negative	Negative	Positive	Negative	Negative	Negative	Negative	Negative	18/07/2019	18/07/2019	Not assessed	100%	75%
169					Negative	Negative	Positive	Positive	Negative	Negative	Positive	Negative	17/07/2019	18/07/2019	Not assessed	67%	100%
189	Negative	Negative	Negative	Negative									17/07/2019	18/07/2019	100%	Not assessed	Not assessed
190					Negative	Negative	Positive	Negative	NT	NT	Positive	NT	17/07/2019	17/07/2019	Not assessed	100%	100%
195					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	19/07/2019	19/07/2019	Not assessed	100%	75%
197					NT	NT	NT	NT	NT	NT	NT	NT	0000-00-00	0000-00-00	Not assessed	Not assessed	Not assessed
209	NT	NT	NT	NT	Negative	Negative	Negative	Negative	Negative	NT	Positive	NT	17/07/2019	18/07/2019	Not assessed	100%	100%
216					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	19/07/2019	22/07/2019	Not assessed	100%	75%
232					Negative	Negative	Positive	Negative	Positive	Positive	Positive	Negative	19/07/2019	19/07/2019	Not assessed	100%	50%
235	NT	NT	NT	NT									0000-00-00	0000-00-00	Not assessed	Not assessed	Not assessed
239													18/07/2019	19/07/2019	Not assessed	Not assessed	Not assessed
252	NT	NT	NT	NT					NT	NT	NT	NT	19/07/2019	22/07/2019	Not assessed	Not assessed	Not assessed
260					NT	NT	NT	NT	NT	NT	NT	NT	20/07/2019	0000-00-00	Not assessed	Not assessed	Not assessed
292					NT	NT	NT	NT	NT	NT	NT	NT	18/07/2019	0000-00-00	Not assessed	Not assessed	Not assessed
293					Negative	Negative	Positive	Negative	Negative	Negative	Positive	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
294					Negative	Negative	Negative	Negative	Negative	Negative	Positive	Negative	17/07/2019	18/07/2019	Not assessed	100%	100%
1352	Negative	Negative	Positive	Negative									17/07/2019	18/07/2019	100%	Not assessed	Not assessed

**UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching**

2A03/2019 PC with DTT

Lab	PBL Reaction strength				T-cell Reaction strength				B-cell Reaction strength				Viability		
	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	PBL	T-cell	B-cell
119	1	1	1	1									95		
120					1	1	6	1	1	1	6	1		95	95
133					2	2	2	2	2	2	8	2		90	90
139	1	1	4	1	1	1	2	1	1	1	6	4	80	80	80
143					1	1	2	1						92.7	
147	1	1	1	1	1	1	4	1	1	1	6	1	100	100	100
154															
157	1	1	8	1									100		
159					1	1	6	1	1	1	1	1		80	30
169					1	1	8	6	1	1	6	1	98	98	98
189	1	1	1	1									95	0	0
190					20	20	50	20			100			90	85
195					1	1	1	1	1	1	1	1		95	90
197															
209											8			99	99
216					1	1	2	1	1	1	2	1		90	90
232					0	0	6	0	8	8	8	0		90	70
235															
239													98	98	98
252													70		30
260													30	30	30
292													0	0	0
293					0	0	6	0	0	0	6	0		80	80
294					0	0	2	0	0	0	4	0		0	100
1352	1	1	6	1									90		

**UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching**

2A04/2019 PC without DTT

	PBL				T-cells				B-cells			
Total distributed	10	10	10	10	18	18	18	18	18	18	18	18
Total submitted	10	10	10	10	18	18	18	18	18	18	18	18
Not Tested	2	2	2	2	3	3	3	3	5	5	5	4
Negative	8	8	8	7	15	15	15	14	13	13	13	5
Positive	-	-	-	1	-	-	-	1	-	-	-	9
% Negative	100	100	100	87.5	100	100	100	93.3	100	100	100	35.7
% Positive	-	-	-	12.5	-	-	-	6.7	-	-	-	64.3
<b>Consensus</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>Negative</b>	<b>-</b>
Unacceptable	-	-	-	Positive	-	-	-	Positive	-	-	-	-
Number acceptable	8	8	8	7	15	15	15	14	13	13	13	-
Number unacceptable	0	0	0	1	0	0	0	1	0	0	0	-
Assessed <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Comments												

Lab	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Received	Tested	PBL Assessment	T-cell Assessment	B-cell Assessment
119	Negative	Negative	Negative	Negative									17/07/2019	17/07/2019	100%	Not assessed	Not assessed
120					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
133					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	18/07/2019	19/07/2019	Not assessed	100%	100%
139	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	19/07/2019	19/07/2019	100%	100%	100%
143					Negative	Negative	Negative	Negative					19/07/2019	19/07/2019	Not assessed	100%	Not assessed
147	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	17/07/2019	17/07/2019	100%	100%	100%
154					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	17/07/2019	18/07/2019	Not assessed	100%	100%
157	Negative	Negative	Negative	Negative									17/07/2019	17/07/2019	100%	Not assessed	Not assessed
159					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
169					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	17/07/2019	18/07/2019	Not assessed	100%	100%
189	Negative	Negative	Negative	Negative									17/07/2019	18/07/2019	100%	Not assessed	Not assessed
190					Negative	Negative	Negative	Negative	NT	NT	NT	Positive	17/07/2019	17/07/2019	Not assessed	100%	Not assessed
195					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	19/07/2019	19/07/2019	Not assessed	100%	100%
197					NT	NT	NT	NT	NT	NT	NT	NT	0000-00-00	0000-00-00	Not assessed	Not assessed	Not assessed
209	NT	NT	NT	NT	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	17/07/2019	17/07/2019	Not assessed	100%	100%
216					Negative	Negative	Negative	Positive	Negative	Negative	Negative	Positive	19/07/2019	22/07/2019	Not assessed	75%	100%
232													19/07/2019	19/07/2019	Not assessed	Not assessed	Not assessed
235	NT	NT	NT	NT									0000-00-00	0000-00-00	Not assessed	Not assessed	Not assessed
239	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	18/07/2019	19/07/2019	100%	100%	100%
252	Negative	Negative	Negative	Negative					NT	NT	NT	NT	19/07/2019	22/07/2019	100%	Not assessed	Not assessed
260					NT	NT	NT	NT	NT	NT	NT	NT	20/07/2019	0000-00-00	Not assessed	Not assessed	Not assessed
292					NT	NT	NT	NT	NT	NT	NT	NT	18/07/2019	0000-00-00	Not assessed	Not assessed	Not assessed
293					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
294					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	17/07/2019	18/07/2019	Not assessed	100%	100%
1352	Negative	Negative	Negative	Positive									17/07/2019	18/07/2019	75%	Not assessed	Not assessed

**UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching**

2A04/2019 PC without DTT

Lab	PBL Reaction strength				T-cell Reaction strength				B-cell Reaction strength				Viability			
	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	PBL	T-cell	B-cell	
119	1	1	1	2									95			
120					1	1	1	1	1	1	1	1		100	100	
133					2	2	2	2	2	2	2	8		90	90	
139	1	1	1	1	1	1	1	1	1	1	1	6	90	90	90	
143					1	1	1	1						92.1		
147	1	1	1	1	1	1	1	1	1	1	1	4	100	100	100	
154												4				
157	1	1	1	1									100			
159					1	1	1	1	1	1	1	1		80	70	
169					1	1	1	1	1	1	1	1				
189	1	1	1	1									94	0	0	
190					10	10	10	10				100		90	80	
195					1	1	1	1	1	1	1	6		95	80	
197																
209												8		99	98	
216					1	1	1	4	1	1	1	4		95	95	
232														90	70	
235																
239												8	98	98	98	
252	1	1	1	1									70		30	
260													30	30	30	
292													0	0	0	
293					0	0	0	0	0	0	0	0		80	80	
294					0	0	2	2	2	2	0	2		0	95	75
1352	1	1	1	4									90			

**UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching**

2A04/2019 PC with DTT

	PBL				T-cells				B-cells			
Total distributed	9	9	9	9	17	17	17	17	17	17	17	17
Total submitted	9	9	9	9	17	17	17	17	17	17	17	17
Not Tested	3	3	3	3	3	3	3	3	5	5	5	4
Negative	6	6	6	5	14	14	14	13	12	11	12	6
Positive	-	-	-	1	-	-	-	1	-	1	-	7
% Negative	100	100	100	83.3	100	100	100	92.9	100	91.7	100	46.2
% Positive	-	-	-	16.7	-	-	-	7.1	-	8.3	-	53.8
Consensus	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	-
Unacceptable	-	-	-	Positive	-	-	-	Positive	-	Positive	-	-
Number acceptable	6	6	6	5	14	14	14	13	12	11	12	-
Number unacceptable	0	0	0	1	0	0	0	1	0	1	0	-
Assessed <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Comments												

Lab	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Received	Tested	PBL Assessment	T-cell Assessment	B-cell Assessment
119	Negative	Negative	Negative	Negative									17/07/2019	17/07/2019	100%	Not assessed	Not assessed
120					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
133					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	18/07/2019	19/07/2019	Not assessed	100%	100%
139	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	19/07/2019	19/07/2019	100%	100%	100%
143					Negative	Negative	Negative	Negative					19/07/2019	19/07/2019	Not assessed	100%	Not assessed
147	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	Negative	Positive	17/07/2019	17/07/2019	100%	100%	67%
154													17/07/2019	18/07/2019	Not assessed	Not assessed	Not assessed
157	Negative	Negative	Negative	Negative									17/07/2019	17/07/2019	100%	Not assessed	Not assessed
159					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
169					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	17/07/2019	18/07/2019	Not assessed	100%	100%
189	Negative	Negative	Negative	Negative									17/07/2019	18/07/2019	100%	Not assessed	Not assessed
190					Negative	Negative	Negative	Negative	NT	NT	NT	Positive	17/07/2019	17/07/2019	Not assessed	100%	Not assessed
195					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	19/07/2019	19/07/2019	Not assessed	100%	100%
197					NT	NT	NT	NT	NT	NT	NT	NT	0000-00-00	0000-00-00	Not assessed	Not assessed	Not assessed
209	NT	NT	NT	NT	Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	17/07/2019	17/07/2019	Not assessed	100%	100%
216					Negative	Negative	Negative	Positive	Negative	Negative	Negative	Positive	19/07/2019	22/07/2019	Not assessed	75%	100%
232					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Positive	19/07/2019	19/07/2019	Not assessed	100%	100%
235	NT	NT	NT	NT									0000-00-00	0000-00-00	Not assessed	Not assessed	Not assessed
239													18/07/2019	19/07/2019	Not assessed	Not assessed	Not assessed
252	NT	NT	NT	NT					NT	NT	NT	NT	19/07/2019	22/07/2019	Not assessed	Not assessed	Not assessed
260					NT	NT	NT	NT	NT	NT	NT	NT	20/07/2019	0000-00-00	Not assessed	Not assessed	Not assessed
292					NT	NT	NT	NT	NT	NT	NT	NT	18/07/2019	0000-00-00	Not assessed	Not assessed	Not assessed
293					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	18/07/2019	18/07/2019	Not assessed	100%	100%
294					Negative	Negative	Negative	Negative	Negative	Negative	Negative	Negative	17/07/2019	18/07/2019	Not assessed	100%	100%
1352	Negative	Negative	Negative	Positive									17/07/2019	18/07/2019	75%	Not assessed	Not assessed

**UK NEQAS for H&I Scheme 2A - Cytotoxic Crossmatching**

2A04/2019 PC with DTT

Lab	PBL Reaction strength				T-cell Reaction strength				B-cell Reaction strength				Viability			
	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	Serum 1	Serum 2	Serum 3	Serum 4	PBL	T-cell	B-cell	
119	1	1	1	1									95			
120					1	1	1	1	1	1	1	1		100	100	
133					2	2	2	2	2	2	2	8		90	90	
139	1	1	1	1	1	1	1	1	1	1	1	6	90	90	90	
143					1	1	1	1						92.1		
147	1	1	1	1	1	1	1	1	1	1	1	4	100	100	100	
154																
157	1	1	1	1									100			
159					1	1	1	1	1	1	1	1		80	70	
169					1	1	1	1	1	1	1	1				
189	1	1	1	1									94	0	0	
190					10	10	10	10				100		90	80	
195					1	1	1	1	1	1	1	1		95	80	
197																
209												6		99	98	
216					1	1	1	4	1	1	1	4		95	95	
232					0	0	0	0	0	0	0	6		90	70	
235																
239													98	98	98	
252													70		30	
260													30	30	30	
292													0	0	0	
293					0	0	0	0	0	0	0	0		80	80	
294					0	0	2	2	0	0	0	2		0	95	75
1352	1	1	1	4									90			